SPECIFICATIONS

Dimensions Performance		
Kerb Weight	Without Battery and Option	445kg
	With Battery and Option	630kg
Gross Vehicle Weight		975kg
Overall Length		2,585mm
Overall Width		1,295mm
Overall Height		1,550mm
Wheelbase		1,760mm
Minimum Ground Clearance		140mm
Tread	Front	1,110mm
	Rear	1,110mm
Minimum Turning Radius		3,800mm
Seating Capacity		4 persons
Electric Power Consumption Rate		14.8km/kWh
Cruising Distance (WLTC)	*Worldwide harmonized Light vehicles Test Cycle	166km
Maximum Speed		80km/h
Machinery Equipment		
Axle	Front	Double Wishbone
	Rear	Multi Link
Tire	Front	Front 145/65R15
	Rear	Rear 145/65R15
Motor		
Motor Type		In Wheel Motor
Maximum Power		10kW/170-800rpm
Maximum Torque		560Nm/0-170rpm
Electric Equipment		
Battery		2.96kWhX4
Charging Time / Type		7.5h／TYPE 2

FOMM ONE

ECO FRIENDLY

0% EMISSIONS

EV

Future today

FOMM COLORS

Ringo Red | Sakura Pink | Himawari Yellow | Yuki White

METALLIC COLOR

Samurai Blue | Daidai Orange | Wakaba Green

FOMM
First One Mile Mobility

FOMM (ASIA) Co., Ltd. (THAILAND OFFICE)
URL http://fomm.co.th ADDRESS
808-808/1, Soi Sukhumvit 55 (Thonglor),
Klongton-Nuer, Wattana,
Bangkok 10110 THAILAND
T. 02-170-6101-3

FOMM Corporation (JAPAN HEAD OFFICE)
URL http://fomm.co.jp
#213, KBIC, 7-7, Shinkawasaki, Saiwai-ku,
kawasaki City, Kanagawa, 212-0032
JAPAN

Copyright 2019 FOMM Corporation

EXTERIOR

独創的な機能だけでなく、デザインにもこだわったFOMMオリジナルのコンパクト・モビリティ。
フロントマスクは日本の「歌舞伎」をイメージ。

INTERIOR

見た目は小さくても、ドライバーが快適に運転できる
インテリアデザイン。

手元でアクセル操作を行う新操作系を搭載。
ブレーキの踏み間違えによる事故を未然に防ぐ。

Copyright 2019 FOMM Corporation

FOMM ONE

Steering Accelerator System

手元のアクセル操作で踏み間違え事故防止
足元の操作を減少し、スペース効率を向上



In-wheel Motor System

運転性能、スペース効率、電費向上に貢献

Battery Cloud

手軽な給電インフラや情報サービスを提供
ドライバーの快適な運転をサポート



Swapping Battery System

通常充電に加え、街中の専用ステーションで
バッテリ交換が可能

Float-Drive

緊急時には水に浮き、低速で水面の移動が可能
※緊急用機能の為、水浮上後は保守整備が必要です。

Copyright 2019 FOMM Corporation

Battery Cloud

自分のクルマの充電状況や、航続可能範囲をいつでも確認できる。
EVを安心、快適に使ってもらうためのサービス“Battery Cloud”。



Copyright 2019 FOMM Corporation

Battery Cloud専用
バッテリー交換ステーション

・設置型の導入しやすいインフラ
・専属スタッフが約5－6分で交換
・4台／1pacまでの拡張が可能



Copyright 2019 FOMM Corporation

https://www.fomm.co.jp/

https://www.facebook.com/fomm.japan/

Copyright 2019 FOMM Corporation